

Board

Wall lamps for interior, equipped with COB LED, with indirect light distribution, metal structure painted in mat white or mat black, transparent acrylic diffuser.



01-1327

Board

Wall lamps for interior, equipped with COB LED, with indirect light distribution, metal structure painted in mat white or mat black, transparent acrylic diffuser.

Aplice pentru interior echipate cu LED COB, distribuție indirectă a fluxului luminos, structură din metal vopsit alb mat sau negru mat, dispersor din acril transparent.

Applique per interni, equipaggiate con LED COB, ad emissione luminosa indiretta, struttura in metallo verniciata bianco opaco o nero opaco, diffusore in acrilico trasparente.

Бра для интерьера оснащенные светодиодами COB и отраженным распределением света, структура из металла окрашенного в белый матовый или черный матовый цвет, рассеиватель из прозрачного акрила.

Beltéri falikarok, COB LED-el szerelve, indirekt fényszórású, matt fehér vagy matt fekete fémszerkezet, áttetsző akril diszperzór.

Интерьерни аплици, оборудвани с вграден COB LED, с индиректна насоченост на светлината, метална основа боядисана в мат бял или мат черен цвят, прозрачен акрил разсейвател.


Nástenné interiérové svietidlá, vybavené LED COB diódami, s nepriamym rozložením svetla, kovová štruktúra lakovaná v matnej bielej alebo matnej čiernej farbe, priehľadný akrylový difúzor.



01-1328

Technical info

art. **01-1325** Mat White
art. **01-1326** Mat Black




01-1326

Led type	COB LED BRIDGELUX 1 pc x 6W
Power	6W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	648 lm
Lumen system	578 lm
Optic	108°
CRI	90
Not dimmable	

CE IP20

art. **01-1327** Mat White
art. **01-1328** Mat Black



01-1327

Led type	COB LED BRIDGELUX 1 pc x 18W
Power	18W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	1836 lm
Lumen system	1374 lm
Optic	108°
CRI	80
Not dimmable	

CE IP20