





01-3343

Suspensions: direct light



01-3339



01-3340



01-3300




01-3343

Ceiling: direct light



01-3297




01-3335

Wall: indirect light



01-3291



01-3295



01-3296



Leo  
85

Light fixtures for interior equipped with SMD LEDs, with the possibility to select the color temperature of the light. Structure of aluminum and metal painted in sand white, sand black or with bronze finish, frost white PVC diffuser.

Corpuri de iluminat pentru interior echipate cu LED-uri SMD, cu posibilitatea de a selecta temperatura de culoare a luminii.

Structură din aluminiu și metal vopsită alb mat, negru mat sau finisată bronz, dispersor din PVC alb satinat.

Apparecchi per interni equipaggiati con SMD LED e possibilità di selezionare la temperatura colore della luce.

Struttura in alluminio e metallo verniciata bianco opaco, nero opaco o con finitura bronzo, diffusore in PVC bianco satinato.

Светильники для внутреннего освещения, оснащенные светодиодами SMD, с возможностью изменения цветовой температуры света. Алюминиевая и металлическая структура, окрашенная в матово-белый, матово-черный цвета или с отделкой под бронзу, рассеивателем из матового белого ПВХ.

Beltéri lámpa testek, SMD LED-el szerelve, színhőmérséklet állítási lehetőség.

Alumínium és fém szerkezet, matt fehér, matt fekete vagy bronz színű, szatén fehér PVC diffúzor.

Осветителни тела за интериор, оборудвани с LED-ове SMD, с възможност за избор на цвeтова температура на светлината.


Алуминиева и метална структура, боядисана в матово бяло, матово черно или с бронзово покритие, сатенен бял ПВХ дифузер.

Interiérové vybavené SMD LED diódami s možnosťou voľby teploty farby svetla.

Konštrukcia hliníka a kovu lakovaná brúsenou bielou, pieskovo čiernou alebo bronzovou povrchovou úpravou, matný biely difúzor z PVC.




art. **01-3291** Sand White  
art. **01-3292** Bronze  
art. **01-3293** Sand Black



Led type	2835 SMD LED 120 pcs x 0,18W 3000K, 120 pcs x 0,18W 4000K
Power	22W
Input	220-240V, 50/60Hz
Color temperature	CCT 3000K/4000K
Lumen source	2874 lm
Lumen system	1156 lm
CRI	90
Dimmable (3 step)	

CE


art. **01-3294** Sand White  
art. **01-3296** Bronze  
art. **01-3295** Sand Black



Led type	2835 SMD LED 168 pcs x 0,17W 3000K, 168 pcs x 0,17W 4000K
Power	29W
Input	220-240V, 50/60Hz
Color temperature	CCT 3000K/4000K
Lumen source	3792 lm
Lumen system	1501 lm
CRI	90
Dimmable (3 step)	

CE


art. **01-3333** Sand White  
art. **01-3297** Bronze  
art. **01-3334** Sand Black



Led type	2835 SMD LED 168 pcs x 0,17W 3000K, 168 pcs x 0,17W 4000K
Power	29W
Input	220-240V, 50/60Hz
Color temperature	CCT 3000K/4000K
Lumen source	3792 lm
Lumen system	1501 lm
CRI	90
Dimmable (3 step)	

CE

art. **01-3335** Sand White  
art. **01-3336** Bronze  
art. **01-3298** Sand Black



Led type	2835 SMD LED 264 pcs x 0,16W 3000K, 264 pcs x 0,16W 4000K
Power	43W
Input	220-240V, 50/60Hz
Color temperature	CCT 3000K/4000K
Lumen source	5718 lm
Lumen system	2916 lm
CRI	90
Dimmable (3 step)	

CE



01-3339



01-3340






01-3300

- art. **01-3337** Sand White
- art. **01-3338** Bronze
- art. **01-3339** Sand Black

- art. **01-3340** Sand White
- art. **01-3341** Bronze
- art. **01-3299** Sand Black

- art. **01-3342** Sand White
- art. **01-3300** Bronze
- art. **01-3343** Sand Black



Led type	2835 SMD LED 264 pcs x 0.16W 3000K, 264 pcs x 0.16W 4000K
Power	43W
Input	220-240V, 50/60Hz
Color temperature	CCT 3000K/4000K
Lumen source	5718 lm
Lumen system	2916 lm
CRI	90
Dimmable (3 step)	☉
<b>CE IP20</b>	

Led type	2835 SMD LED 360 pcs x 0.18W 3000K, 360 pcs x 0.18W 4000K
Power	65W
Input	220-240V, 50/60Hz
Color temperature	CCT 3000K/4000K
Lumen source	8516 lm
Lumen system	4344 lm
CRI	90
Dimmable (3 step)	☉
<b>CE IP20</b>	

Led type	2835 SMD LED 624 pcs x 0.17W 3000K, 624 pcs x 0.17W 4000K
Power	108W
Input	220-240V, 50/60Hz
Color temperature	CCT 3000K/4000K
Lumen source	14234 lm
Lumen system	6974 lm
CRI	90
Dimmable (3 step)	☉
<b>CE IP20</b>	